


INTERLABORATORY DATA MANAGEMENT




ACUSERA 24•7



ACUSERA 24•7

ONLINE QC SOFTWARE WITH REAL-TIME PEER GROUP STATISTICS



01	BENEFITS
03	STRESS FREE QC ANALYSIS
04	SOFTWARE OVERVIEW
04	ORDERING DETAILS
05	HOMESCREEN & PREVIEW
06	DATA REVIEW REPORT
07	DASHBOARD
80	RESULT HISTORY
09	INTERACTIVE LEVEY-JENNINGS CHARTS
10	INTERACTIVE HISTOGRAM CHARTS
11	PERFORMANCE SUMMARY CHARTS
12	STATISTICAL ANALYSIS REPORT
13	STATISTICAL METRICS REPORT
14	UNCERTAINTY OF MEASUREMENT REPORT
15	EXCEPTION REPORT
16	PEER GROUP STATISTICS
17	ACUSERA ADVISOR
18	DATA ENTRY OPTIONS
19	RANDOX QC PORTFOLIO
20	CONTACT US

BENEFITS

Our vast array of features have been designed to speed up data review and troubleshooting procedures for smarter QC data management.



Unique dashboard interface

- Instantly flags any rule violations from the last 7 days, reducing time spent analysing QC data.
- Warns you when QC lots are approaching expiry, avoiding the use of expired QC material.



True real-time peer group statistics *

- Peer data is uniquely updated live in real-time ultimately reducing time and money spent troubleshooting, re-running samples and performing instrument maintenance.
- Instantly discover how you compare to other laboratories using the same lot of QC material and identify if issues are unique to your laboratory or a widespread issue.
- No submission deadlines for QC data.

* T&Cs apply



Advanced statistical analysis

- Sigma scores, Bias%, Total Error and other performance indicators are automatically calculated, enabling enhanced performance assessment and improved QC strategy design.
- Reject or alert data based on QC multi-rules or user-defined performance limits including RiliBÄK, CLIA and Biological Variation.
- Uncertainty of Measurement (UM) is automatically calculated for each assay and QC lot helping to meet ISO 15189:2022 requirements.



Fully interactive charts

- Levey-Jennings, Histogram and Performance Summary Charts can be generated on-demand for quick and easy performance monitoring.
- The ability to add events and multiple data sets to a single chart ultimately allows for better identification of trends across multiple instruments.



Comprehensive reports

- Specifically designed to speed up the review process, our comprehensive range of easy-to-read reports includes: Data Review, Daily Data Review Report, Exception Report and Statistical Reports.
- Reports can be customised to show data for a specific date range and can be filtered to display data for a particular test or instrument.



Automated data import via Acusera 24•7 Connect

- An optional software solution that allows easy and automated upload of QC data direct to Acusera 24•7 via LIMS or Middleware.
- Eliminates problems associated with manual data entry and increases laboratory efficiency.



Highly flexible to meet individual laboratory needs

- Custom configuration of performance limits, multi-rules, consensus groups and target values for each instrument or QC lot.
- Although intended for use with the Acusera control range, the software's internal functions may be used with any manufacturer's QC material.

BENEFITS



Simple and intuitive interface

- The software is fast, powerful and easy to use, therefore delivering an enhanced user experience.
- Colour coded throughout, providing an instant visual indication of poor performance.
- Simple assay configuration with ability to share a configuration across multiple instruments or affiliated labs.



Online access anytime, anywhere

• Cloud based software, eliminating the need for local installation and frequent back ups.



Multiple lab management

- Compare performance to a global peer group or other laboratories in your affiliate network in real-time.
- Stay on top of individual laboratory performance and activity from a central 'co-ordinator' account accessible anywhere, anytime by users with 'co-ordinator' level access.
- Easily compare performance of individual laboratories within the affiliate group via multi Levey-Jennings, Histogram, Performance Summary Charts and Statistics.


Technical support

- Expert technical support is available from our team of highly trained specialists.
- Remote access enables immediate troubleshooting without the need for on-site assistance.



World class controls

• World leading controls offering unrivalled commutability, consolidation, stability and consistency.



Compatible for use with the Acusera range of third party controls, the Acusera 24.7 software provides a tool to track QC results and manage daily QC activities from all laboratory analysers on one centralised platform. With access to an impressive range of features, including interactive charts and real-time peer group data generated from our extensive database of laboratory participants, Acusera 24.7 is the most comprehensive package available on the market.

STRESS FREE QC ANALYSIS

Designed to assist in the management of daily QC activities, Acusera 24.7 will help to improve analytical performance, meet regulatory requirements and ensure accurate patient results by helping you to;

- 1. Monitor and interpret IQC data
- 2. Compare results to live peer group statistics for rapid and effective troubleshooting



Identify trends, system errors and reagent issues

- Access to interactive charts & comprehensive reports allows immediate detection of QC failures.
- Assess whether performance issues are unique to your laboratory with real-time peer group statistics.



Minimise false rejections

• Apply user-defined QC multi-rules to help reduce false rejections, maintain high error detection and make important decisions on whether to accept/reject results.



Facilitate regulatory requirements

• Help meet ISO 15189:2022 requirements for the review of QC data and calculation of Uncertainty of Measurement (UM).



Bridge the gap between IQC and EQA

• Daily monitoring of IQC provides added confidence in test system performance between EQA challenges.



Confidence in assigned target values

• Access to peer group data provides immediate confidence in assigned target values.



Get an independent perspective

• Together with Randox true third party controls, Acusera 24•7 reduces the potential for bias and delivers a true assessment of analytical performance.

The laboratory shall have a procedure for monitoring the validity of results......The resulting data shall be recorded in such a way that trends and shifts are detectable and, where practicable, statistical techniques shall be applied to review the results.

SOFTWARE OVERVIEW

Manage multiple sites, instruments, tests and QC levels on one centralised platform for greater confidence in analytical testing.



Data Entry

- Manual
- Semi-automated upload via EDI
- Automated upload of QC
 data (via Acusera 24•7 Connect)



Peer Data Comparison

- Performance Summary Charts
- Statistical Reports
- Peer Group Statistics



Internal Performance Review

- Levey-Jennings Chart
- Histogram
- Result History
- Dashboard
- Data Review
- QC Multi-Rules
- Exception Report
- Uncertainty of Measurement Report
- Performance Limits (RIQAS, RiliBÄK, CLIA, Biological Variation, User-defined)



Configuration

- Multi-lingual
- Compatible with other manufacturers' QC
- Support for multiple devices
- Multiple configurable/ customisable levels of user access



Utilities

- Acusera Advisor
- Audit Report (by request)



Performance Indicators

- Bias%
- CVI
- SDI
- Sigma Score
- Uncertainty of Measurement
- Total Error

With access to peer group data, automatic calculation of QC statistics and easy identification of performance via interactive charts and reports, Acusera 24.7 is an essential QC tool for laboratories of all sizes.

ORDERING DETAILS

ORDERING DETAILS			
Description	Cat. No.	Description	Cat. No.
Acusera 24•7 (1 - year licence)	QC4218	Acusera 24•7 Cloud Connect	QC4228
Acusera 24•7 Configuration/Mapping	QC4224	Installation of Randox Connect Box (Onsite)	QC4229
Acusera 24•7 Training (on-site)	QC4225	Installation of Customer Connect Box (Onsite)	QC4230
Acusera 24•7 Training (remote)	QC4226	Installation of Customer Connect Box (Remote)	QC4231
Acusera 24•7 Connect Box	QC4227	Acusera 24•7 End User Cloud Connect*	QC4232

*1 connection

HOMESCREEN & PREVIEW

Recall assay and instrument configurations directly from homescreen

90	See Different	filmer 💽	The Park	Sec. 1		1	Albumin I Clinics Broncoresol Gr C601 A chemist 20804, I 1114UN	ven 1y analysee main 8	handhigt	
	An adapted	Charmery Type	Notar	-	- Pathanant		Calcum I Dines NN-BAFTA DIST A charmed 1114/JA 1 860/8	y analyser main 8	Inamatri I mamatri	
	Abumin	Clinical Chemistry	Bransoresal Green	. 64	CSD1 A chemisity analyser	236.8.				
	Aburitt	Obtail Durnishy	Brinspread Gravit	1.44	CS01 A shemilety enalyser	200.4				
•	CA 125	moundably	Electrodenilumnescensi immurcess	Circle	-601	HTHE				
	Calcum	Omail Duminty	NULEAPTA	-	CS01 A chamility analyser	ZIMA.				
	Caltaure	Closed Chamainy	NM-BAPTA		CS01 A chamtely analyser	1114,14				
	Partiti	Torustanay	Bedrachendummescence Immunoase.	- upt		147860				
	Fointe	investigation	Decisionenilumenescense Immunoasis	rgen	-	147680				
11	Gherme	Cleanel Dramatry	Healthinase	must	CSD1 A sharrishy analyser	PINE.	1114534	MILE	10	1
17	LH	Honoreaday	Electrochemisistence Immunant	ALC: NO	4821	MINEC	147760	SKINEC		-
2	Potassium	Clinical Orientiality	ISE Indirect	and a	CS01 A chemistry analyser	238.4	11140.04	MALE		3
1	oo het 👔 hee O	Chara								
				-						

Bringing together the creation of QC tests, QC panels, opening/closing/hiding of QC tests and the ability to export data for a selection of QC tests all within the one base area. No need for navigating to multiple areas within the application to perform these actions.

Available via Homescreen: Filter Functionality | Configuration | Data Entry Charts | Utilities | QC Test Selection

Each of the following features can be accessed without having to navigate to each individual screen from the side menus: QC Test Configuration | Instrument Configuration | Assay Configuration | Result History

Using the preview feature, users can easily navigate into the Result Entry | Charts | Data Entry QC Test Configuration | Instrument Configuration Assay Configuration for single test from any area in the application.

DAILY DATA REVIEW REPORT

Review all QC results within a 7-day window

01/01/002	e.: 0	08010003	a	Ø.								
Arrest	impry *	Rentw Spin		Anti-I battored	• [4	alai kar	1				60	a
interest.	144	(annual)	hinghi	Dent	84	- 804	(min	Person (Date:	ferrer .	Anton	0
*	22804	CHIT AS.	Pressure	01-Jan-20	121128	9712	3.36	00	Reject	10 C	invested	
4	1114,85	GHTAR-	Potentiers	41-Jan-20	12x12e	26.200	5.00	00	Report	+	. revised	
*	MALE	0901 A 6	Patassium	81-349-20		4.00		00	Assepted	53	mined	
*	238A	CMILAS	Alturation	11-Jan-20	101104	- 44	48.8	55	Pagent -	31	5.25	
*	2395.8.	CSIT As.	Adaption	81-Jan-20	101100-	7.58	45.4	10	Report		273	.0
*	238A	Chill A	Calcum	01-Jan 25.	1.2x (boin	2.765	8.17	00	-	5.	-	
*	1114LIN	CSET A c.	Celclum	81-Jan-20	1211128	5.836	3.44	00	Report	52	resident	0
+	238.4	CHET An.	Calcum	81-Jan 25.	1 2x Belle	2.824	2.18	00	-	- 22		
*	1114.01	CORT A.C.	Calcium	01-Jan-00	124124	5.405	34	00	Report	23	resigned	
*	238A	CSIT AL.	Gumm	#1.Jan 20 -	121131	21.2	2.24	11	Report	- M	- 21	
							taken th With A	y-Jennings he staff app cousera 24 bu to review USEI	rox 2 hour 7 it takes	s to do or 20 minute lots at one	n LIMS. es and	

Designed to allow for quick and easy reviewing of all QC results and violations daily within a 7 day window, thus, giving greater control of any potential issues occurring before they become widespread. Filter your QC results to view all results, violated results or specifically the rejected or alerted results whilst also determining whether they have been previously reviewed or not reviewed. By double clicking on a QC result within the Data Review Report, it is possible to quickly navigate to the Result History and review the QC result further before committing to reviewing the QC result within the Data Review Report.

To speed up the process of reviewing many QC results at once, it is now possible to add an action comment to many QC results in bulk. Remember, that if any QC result has been violated within the last 7 days, it will also display on your Dashboard. However, reviewing your results within the Data Review Report will remove the violation from your Dashboard therefore reducing the number of violations reported on the Dashboard. Once a QC result is reviewed it will record the initials of the user that performed the review.

DASHBOARD

Rapid identification of QC failures

Alema 🚺	Let Burry	tyre larves			
(Dare)	Patanet	Analyse T	144	(tela	
- 30-Feb-2020 08-42-58	CB01 A chemistry analysist	Albumin	Berlegical variation (PL)	Abert .	
25-746-2023 08-42:53	CB01 A chamalry analyser	Albumin	Bological variation (PL)	Alert .	
+ 18-Feb-2023 08-91 00	C101 A chematry analyser	Albumat	1 3s Belogical variation (PL)	Alast	
+ 19-Fve-2009 08-91 00	CB01 X-shamsky analyser _	Albumin	Berigical variation (PL)	Alant	
· 18-Fab-2025-08-15.52	CSD1 A chemistry analysiar	Albumin	Relogical variation (PL)	Alart .	
18-Feb-2020 08115-52	CI01 A shareshy analyser	Albumin	Bological variation (PL)	diant.	
- 17-Peb-2003 15:58-01	CB01 A chemalry analyser	Alburste	1.2s Bological variation (PL)	Abert	
17-748-2020 15-58-31	CBD1 A chamility analyser	Albumin	Bological variation (PL)	-	
· 20-Feb-2023 10:50:05	+001	CA 135	1.09 1.09	Report	
- 25-Feb-2025 10-41-29	-	CA125	12113	Reject	
	+ 🗵 + Awree par page			1-10-021 Anna - 65	
				N	
And Manufacture	C Galleria C	Eastly Date 1			
286.4		31 Mar 2023-00.00.00			
A PORT AND	terres per page ((Triterney/ G			
		-	-		
		4			

Available to you at no additional cost, the unique Dashboard ensures instant identification of any QC failures and alerted results over the last seven days. Designed to significantly reduce the time spent analysing data, this highly convenient and user-friendly function means corrective actions can be taken immediately, with minimum disruption to the laboratory's output. Alerts are also provided when a control lot is reaching expiry, reducing the risk of using expired material. If using EDI or Connect to upload QC results, a message will be displayed advising the number of results that have been inserted successfully.

RESULT HISTORY

Provides a visual overview of QC result history

DOX Result History					1		Acusera2	47/224	CO ACUSER	A 24
I Date Parent Taxably 24.3	anaty (3 🖻	Tuesday, 21 Februar	0	Phelly A	6 - 68					
Analyte: Alsonin, Direct Overnity	Bromoread Green, ph	Roche Instrument CSD	A chamaky and	yser main Branch	Total Allowable B	mar: 4:07 Bleec	1.48			
	. 200	6. ⁻		111429			NNE			
Sale True	tente Da	n Meet	1.00	Onet	Maser	10	Durr	Man	- 40	
20Fvb/0023 08 42 83	28. 1	25.000	8.000		-	6.000		0.0000	6,000	
- 10/w/02310.5110	a 1		6.000		-	4.000		8.000		1
18/w/0023 0915.52	28 1	21.3000	8-000		43.4000	8.080	0	0.0000	0.000	=
- 178 www.0005 15 58 201	a 1	27.1000	8,000	- ¥	-	4.000		8.000	0.000	-
- 17F-m/0023 08-18.29		27.0000	8.000		49,1000	8.000		8.0000	8.000	
	249 6	· · here be page							Colorado ante	
	1968									
Danke	Adapteday	Carlo	and in	17142A	1.6	-	MIRUE Marthy		Canada	
Danie Cost	Auren a	5.m	lates (inalia N			Constitue 194	
				Adventes			- Marriela			
Court		240	•	100000 40			-		114	
Court	36 36.852	24	•	40 40 40.500	8 4 3	50 3.994	80000 8 8		114 82.584	
Court Mean BD	28 26.00 6.01	248 28.49 6.701		40 40 42.528 1,214	2 4 3 4	50 1.3004 807	10000 1 1 1		114 62.584 0.798	
Court Mean BD CVPs	36 363 6.879 3.73	246 25.49 2.65		40 40 5.214 2.8	2 4 5 6	56 1.004 1.007 20	10000 4 4 4		114 62384 0.798 1.28	
Court Mean DD DV% Nac	26 20 20 20 20 20 20 20 20 20 20 20 20 20	246 25.49 2.65 23.49	•	40.500 40.500 5.200 8.8 10.171	3 4 5 6 1 1 4	50 1.004 1.07 20 20	1000 1 1 1 1 1 1 1 1		114 62:384 0.799 1.28 18.709	



The result history view displays all QC results entered for a particular test. Results are conveniently colour coded red for reject and orange for alert, ensuring quick and easy performance assessment. Monthly and Cumulative statistics including the Mean, SD, %CV, Bias%, Total Error, Sigma score, UM and Expanded UM are automatically calculated and displayed for each lot of control. Results may be filtered to display rule violations or rejected/alerted results for a particular instrument or lot of control. The ability to add comments and manually accept/ reject results directly from the result history view speeds up the review process.

Group co-ordinators can visualise results from each individual lab within their affiliated group, allowing for in-depth performance analysis from a remote location.

INTERACTIVE LEVEY-JENNINGS CHARTS


Identify trends, bias and precision problems at-a-glance



Levey-Jennings charts are easily generated, providing an instant, visual indication of test system performance over time. The ability to conveniently combine multiple instruments, analytes, QC lots and labs on a single chart allows for comparative performance assessment and immediate visualisation of any ongoing or emerging trends. Customisation in this way will improve troubleshooting capabilities, enabling you to quickly identify whether an issue is unique to a particular test or instrument. The user-friendly interface and interactive nature of the chart allows you to view data for a specific date range, zoom in on a specific data point and record events including instrument service or maintenance for enhanced review of trends. Group co-ordinators can also easily compare performance between laboratories within their affiliated group for quick identification of performance issues. Using the legend, data can be added or removed for side by side comparison.

INTERACTIVE HISTOGRAM CHARTS

Rapidly identify test system bias




Generated at the touch of a button, the Histogram allows rapid identification of any test system bias for a given time period. Designed to be completely interactive, multiple instruments, analytes, QC lots and labs can be added to a single chart, delivering comparative performance assessment, easy identification of trends and faster troubleshooting capabilities. Using the legend, data can be added or removed from the chart as required. There is also an option to print charts directly from the software.

Using the Histogram, group co-ordinators will be able to quickly identify any labs experiencing performance issues within their affiliated group.

PERFORMANCE SUMMARY CHARTS

Generate a visual assessment of accuracy and precision in relation to chosen peer group



The Performance Summary Chart provides a graphical representation of individual laboratory performance, compared to your chosen peer group. Data is displayed in a colour coded, easy to interpret chart allowing for fast and efficient performance assessment. Performance Summary Charts can be customised to conveniently display data for multiple analytes and labs within an affiliated group, allowing visual identification of trends.

STATISTICAL REPORTS

Compare monthly and cumulative statistics to worldwide peer group data

			Particip										West				(best)	-
in.	-	1000		Bart		Constant Of P			ine .	- 200	100	10	000	00	-	10	10	115
						1.000												
19.	C8	8-	77	1.000	1.86	1.000	4.856	246	0.05	2.00	1.50	4.922	600	1.50	6.62	-	28	40
	08.	-	й.	1.021		1211	4.821	-	0.000	-	1.603	4.18	359	8.00	8478	4.05	4	40
	01-	84.	÷.	0,881	1.77	6.901	8,879	194	0.792	1.00	2.941	2304	891	26.88	8.192	- 44,		4.07
Calcium, C	Resident Chro	mining, NDA	8400, m	meit, Rich	9													
-	-	FWM	**	0.647	530	0.364	9.524	- 267	1.200	3.81	0.606	8.522	100	8.03	6.362	14	17	-
911-	01.	-	*	1.818	3.41	0.367	0.000	208	1.081	3.84	0.486	5.842	105	7.62	8.536	н.	88	- 88
ж.	08	real.		8.794	1.22	1.438	2.807	104	0.550	2.08	0.007	3.981	N	2.08	6.228	3.632	84	2.00
											ľ							

The Statistical Analysis Report provides a complete overview of laboratory performance for a specified date range.

Encompassing many vital performance indicators including the Mean, SD, CV, SDI and CVI, it can be used to compare both monthly and cumulative data for each individual test to your chosen peer group. Reports are instantly generated for a user defined date range and may be exported as an excel file or PDF. Group co-ordinators can also review statistical data for each lab within the affiliated group, allowing for simple data analysis from a central hub.

Participants can generate a report for all open QC tests or they can select single or multiple QC tests from the homescreen thereby offering greater control over test performance.

STATISTICAL REPORTS

Displays several performance metrics on one report

Average Average <t< th=""><th>R</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></t<>	R																		
Links Links Links Deet						and a sta			100							PROPERTY.			
38. 08 98 77 88 6333 1.38 -1 6.302 588 98 6.707 2.86 4 6.404 688 21 1.88 6.88 111 05 88 91 41 1.98 41 1.97 2.38 -1 0.398 56	1416	ine.	100									1.001		-	DW	Gant	and a		ev.
11 Ch Bu 91 4L EBBI 2 -4 BL20 BBL. 1.077 2.20 -4 0.200 500 40 2.809 40.0 BL Ch Bu 8 BL 1.001 1.07 0.000 1.00 1.00 0.000 0	Albumin, D	inter De	mining Ser		Green, grt. 8	testes													
ML. DL. MML. B ML. 1.701 L/7 D.006 D.006 T.00 D.706 D.006 T.00 D.706 D.006 D.706 D.707 D.706 D.706 D.707 D.706 D.706 D.707 D.706 D.706 D.707 D.706 <thd.707< th=""></thd.707<>	28	C8	8-	77	-	0.313	1.00	+	0.302	346	-	0.701	2.85	-	0.404	-	29	1.88	6.56
Centrum, Channel Channels, Weillick/TA, second, Reacter ZBL. CBL. MM. B7 5.711 5.081 5.58 5.59 5.57 1.754 0.085 5.81 0.056 0.422 1.88 1.606 0.153 9.00 171 OS MML. 85 2.177 0.874 3.41 -0 0.448 202 2.176 0.086 2.54 -0 0.386 1.65 0.167 7.62 ML. CS MML. 8 3.073 0.041 1.22 -0 0.387 164 5.419 0.071 2.08 -0 1 168 8.420 6.071 2.08		CS	84.	**	0	1.001		-	0.332	-	4	1.007	2.80	4	0.386	300	-	2.829	40
38 Ch MM 87 1.711 D.088 D.109 D.201 D.	-	05	04	10	¥8	1.108	07	0.006	0.000	114	-	6,799	1.08	0.808	0.048	384	¥0	13,45	26.0
VT	Californ, D	initial Che	enisery, 1886	BAPTA	mill, Roch	•													
M. CL. MA. 8 2075 004 122 4. 0307 104 3419 0071 238 4. 1 108 5420 5071 230	а.	G8	-	**	3.291	6-068	9.30	0.105	0.000	897	1.754	0.065	3.81	0.058	0.421	138	1.600	0.158	9.00
	WI	61	348	*	2.171	8.874	3.41	-	0.448	200	2.578	0.004	234	4	0.366	125	2,100	0.167	7.60
	86	-	144	*	8.879	8.045	1.88	4	0.587	184	8418	8.871	8.16	4		198	8,420	6.071	2.08

Both statistical reports are viewable from one screen and be interchanged using the buttons at the top of the report.

Displays statistical metrics including Bias%, Sigma and Total Error (TE) for each test alongside those for your chosen peer group. The Bias% provides an indication of your laboratory's performance compared to the Peer Group Mean, while TE gives an indication of the overall error within a test system, taking into account both imprecision and inaccuracy.

The availability of a Sigma Score provides a measure of how much your data varies from the TEa% and may be used to design an appropriate QC strategy. Group co-ordinators can also review statistical data for each lab within the affiliated group, allowing for simple data analysis from a central hub.

UNCERTAINTY OF MEASUREMENT REPORT

Automatic Uncertainty of Measurement (UM) calculation

	nji 01 January -	and the	humitay, dili Februa	and the second			0.0				
Anna	Latinates	Gunt	Altern	- UDW Veter	1	1004	Daneted.	UDN Para	Taxa 1	- 14204	Downed.
Abunin, Dinkol C.	200.0	**	25.700	8.48	4.787	4.811	8.40		18.57	18.57	18.397
Abunin, Dinkal C.	111405		42.705	8.8	4078	4.100	0.042	0	8.52		10.000
Albumin, Olinical C	NULL		12,909	1.76	23.014	23.001	45,229		43.48	43.49	45,221
Catolum, Clinical C	1986	- 87	1.711	100	4.098	1.004	0.184		138	1.00	10.545
Caloliam, Olimical C	111405		2212	(838)	0.034	6.225	0.481		10.08	10.00	19.797
Cellum, Clinical C	MONA	19	3,379	1.000	0.041	0.005	0.127	58	1.00	1.00	1291
Gluicose, Christel C	238A		3.140		6.738	8.738	5.448	. 0	23.36	23.39	45.044
Dursee, Circui U	-		2.701	1.0	1.030	1.84	8,014	1	21,24	21.38	41.85
Divices. Circlel C	BERGE.		14.148	83	8.812	8.817	17.201		853	-	100.108
						"Every mo for a full	day to calo sor	te a men culate me netimes SER FEEI		out of t uncerta	he lab iinty,

The unique Uncertainty of Measurement report displays the UM of all QC tests currently in use, helping you to meet ISO 15189:2022 requirements. To calculate UM, simply enter the SD or Standard Error of the Mean (SEM) of the intra assay precision for each test and level of control. Based on performance history, the software will then automatically calculate the SD of the inter assay precision. Participants can generate a report for all open QC tests or they can select single or multiple QC tests from the homescreen thereby offering greater control over test performance.

EXCEPTION REPORT

View assays which show a higher error rate

Exception Report		E		Acusera247 / 224	S ACUSERA :
Con-From Sunday 91 January	- 12 N				
All all	(tempine)	Care	142306	2-0.000	+9301
Abumin, Clescal Chamistry, Bramocreasi Dream, git, Roche	CODE A sharring a		77.06.1%	0.00%	4.(4.9%)
Albumin, Christel Chemistry, Bronscreeel Green, gl. Roche	CBD1 A chamistry a		81 (98.8%)	0.0%	10.99
Altumin, Clinical Chemistry, Bramouresul Green, gil, Ruche	Child Activenisity a		8 (62.7%)	0.1044	101.7%
Calcure, Direct Durrently, MA BAPTA, nevela, Roche	COD! A manually A	87	65.07.7%	212.2%	1000
Colours, Olivical Diversity, MA-BAPTA, mmobil, Rocher	CBD1 A chaminity a	-	85 (36.8%)	0.0%	10.4%
Calcum, Clinical Chemistry, MM-BMP1A, renol1, Hoche	Child A channelly a		6 (100%)	0.0%	8-0%)
Guessia, Christi Cherristry, Hestimitate, ministi, Roche	CIDE A charmenty a	77	73 (94.8%)	0.0%	4(525)
Glasses, Ginaal Demisity, Heestinaas, erestil, Roche	COOP A channeling a	75	72 (20%)	a lavit	5(4%)
Diacose, Olivital Diamiphy, Hastinizate, sensiti, Roche	COD1 A sharrowing a	5	3 (50%)	0.0%4	2 (40%)
and a second sec					C. P. Markinson

Designed to quickly and easily identify assays with a high percentage of errors, the exception report provides an on screen summary of the number of QC results for each individual assay and control lot that fall within the following categories: <2SD, 2-3SD and >3SD.

Reports are instantly generated for a user-defined date range and may be exported in Excel or PDF format.

Participants can generate a report for all open QC tests or they can select single or multiple QC tests from the homescreen thereby offering greater control over test performance.

PEER GROUP STATISTICS

Access true real-time peer group statistics

Anajyan 1	Bandrask	Minister	Group	Animal Street	ile.	danie.	Maar	- 884	÷.	Page Clark
25-DHi Wamm D	Daniumsaani Innun.	Abbell	Archited	Aveliable in ACCO	mont	500	84.001	8.87	12.72	2
25-OH-Vitemin D	Overdaminascent Microp	Asset	Achieve	Architect (1000	next	10	191,876	18.	10	1
25-DH-Wasin D	Oversluminascent Morop	Abbott	Activat	Architect (2000	omoil .	1076	148.374	31	88.08	18
ATP	Oramiuminassense	Server (ADVIA	ADVA Careau	100	30	14.14	1.004	11.07	15
CA 105	Estateni,mesore	Ashert	Architect	Avenue 2000	10	1376	207 804	st	96.07	
CALLS	Estatement	Robe	Color	Colume with	-	100	194,800	88	49.24	
CA IS-3	Detrahentenanian.	Asset	Arithmet	Availability 2000	-	848	46.972	22.88	46.82	
CA164	Detrahenilaninesen	Auto	One	Columett?	100	800	43.825	4,541	849	
CA 19-8	Electrochamiluminescent	Abbott	Architect	Architect 2000	NUT	1276	206.184		18.60	
GA 19-8	Deitschenkunkessens	Robe	Colum	Colume HOI	NOT .	808	214.004	10.01	1.8	
Further	Dectorheniluminacies	Radie	Cobai	Cobes ell01	right	805	106,200		10.44	э.
Folialia	Debahaniantesare	Rate	Oder	Colour with	molt.	106	1.01	1.328		18
F104	Debuteniumresors	Rode	Colesi	Colum ell01	HARM	12	213			3
LH	Debuteriteresers.	Auto	Dee	Column anD?	-	-	35.18	5.798	1.07	3
T3 Pres	Dentananeeri Immo -	Abbett	Architect	Available of TADOD	prot	185	18.022	2.308	18.37	1
1.1.1.1	and the second second									(-16)(10)em

The Peer Group Statistics report provides access to peer data for all lots of Quality Control. Data is instantly updated in real-time*, delivering unique access to the most up-todate information available. Analysis of peer data in this way will help you to determine if an out of control result is an instrument problem or a widespread issue. You may even be able to identify issues before they arise in your lab. Data may be filtered by lot number, date range, analyte, method, instrument and reagent supplier. Data may be based on the global peer group, or to other laboratories in your affiliate group. The final report can be exported to excel or PDF displaying the Mean, SD, CV and number of participants.

* T&Cs apply

ACUSERA ADVISOR

Automatically recommends QC multi-rules and optimal QC frequency

DOX Advisor								Ac	utera24	7/224		ACUSERA 24
Aning	between a	1.00	Territore	1.194	7.946		Tab.	1.8%	200	104	#04%	Amine News
	CNIT A chamisity anal		It is recommended you	168.	NA	-	-	-	-	Pa_	-	3
Calsum, Dreas Dam.	CIES A chansely and	33808.3114U	Unable to Advise an ap-	-	-	-148.	-	-	NEA	-	.0	
Glacose, Divical Dre	Chilt A chansisty and	23854_1114U-	B is recommended you	He.	-504	164	40A	-	NIA	-		
* * 7 * *	💷 🔹 dama per paga											1-3 2 5 8000
Apply Advant Pater												
						-						
				-	-							
			-									

Acusera Advisor is an optional tool designed to help you select the optimum QC strategy for each individual test in use. Not only will the Advisor tool recommend a set of QC multi-rules, it will also suggest a minimum QC frequency based upon the performance of the method in question. The use of QC multi-rules will reduce false rejections, unnecessary troubleshooting and the need for costly repeat tests, without affecting error detection.

Recommendations can be made once you have entered a minimum of 20 results for at least 2 levels of control and set performance limits.

Recommendations are based upon normalised OPSpec charts. Once performance limits have been defined, the software will determine the CV% and Bias%. These are then used to calculate the normalised operating point. A normalised OPSpec chart is then used to select the appropriate QC strategy.

A report can be easily generated displaying a list of all assays along with the Analytical Quality Assurance (AQA) achieved with the currently used multi-rules and a suggested minimum QC frequency.

DATA ENTRY OPTIONS


There are three options for QC data entry with Acusera 24•7

Manual result entry

Easily create custom panels for faster result entry of multiple tests at once, with the option to enter single or summarised data for each test or panel.




Analyser generates QC result.



2. QC result is manually entered by the user into the Acusera 24•7 software.

Semi-automated result entry via EDI

EDI is the ideal solution for laboratories that don't want the hassle of manual data input but still want to benefit from a reduction in time and elimination of transcription errors.



 An export file containing the QC result and associated information is generated by the analyser, LIMS or Middleware.



 The user imports the EDI file into the Acusera 24•7 software at their desired frequency.

Note: First time users must create a new configuration for the EDI file and carry out EDI mapping.

Fully automated import of QC data direct from your LIMS/Middleware

Automatically capture data directly from your LIMS/Middleware with Acusera 24•7 Connect and import into Acusera 24•7 without the need to import files or manually input data.

- Reduce workload by eliminating manual data entry or file import
- Eliminate transcription errors
- Secure real-time connection without disruption to the laboratory workflow

Several options are available for automated data entry, our Acusera 24•7 Connect team will work directly with you and your IT team to implement the best solution for your lab's requirements.



 An export file containing the QC result and associated information is generated by the LIMS/Middleware. The Acusera 24•7 Connect software will then securely collect and process QC data directly from the LIMS/Middleware and import to Acusera 24•7.

Note: First time users must create a new configuration for the EDI file and carry out EDI mapping.

RANDOX QC PORTFOLIO

Our expertise in Quality Control have led to us creating market leading products that are tried and trusted by laboratory professionals. Our product portfolio offers high quality diagnostic solutions which offer reliable and rapid diagnosis and we believe that by providing laboratories with these tools, we can improve health worldwide.

ACUSERA - True third party controls offering complete test menu consolidation

Uniquely combining more than 100 analytes conveniently in a single control, laboratories can significantly reduce costs and consolidate without compromising on quality. As true third party controls, unbiased performance assessment with any instrument or method is guaranteed.



RIQAS - Randox international quality assessment scheme

The largest international EQA scheme, used by more than 76,000 laboratory participants in over 139 countries worldwide. Comprising over 360 routine and esoteric parameters in 35 comprehensive and flexible EQA programmes, RIQAS is designed to cover all areas of clinical testing. Each programme benefits from a wide range of concentrations, frequent reporting and informative yet user-friendly reports.

MOLECULAR - IQC & EQA solutions for infectious disease testing



Our complete quality control solutions for molecular infectious disease testing comprise hundreds of characterised viral, bacterial and fungal targets. Covering a wide range of transplant associated diseases, respiratory infections, blood borne viruses, sexually transmitted infections and more, our Molecular IQC and EQA range covers the full laboratory portfolio. Both our product offering are manufactured using only the highest quality material and the availability of whole pathogen samples ensures the performance of the patient sample is mimicked throughout.

CONTACT US

Contact us for more information on any of our products and services:

HEADQUARTERS

Randox Laboratories Ltd, 55 Diamond Road, Crumlin, County Antrim, BT29 4QY, United Kingdom 🖀 +44 (0) 28 9442 2413 🛛 marketing@randox.com 🔗 randox.com

INTERNATIONAL OFFICES



AUSTRALIA Randox (Australia) Pty Ltd. Tel: +61 (0) 2 9615 4640



CZECH REPUBLIC Randox Laboratories S.R.O. Tel: +420 2 1115 1661



HONG KONG Randox Laboratories Hong Kong Limited Tel: +852 3595 0515



POLAND Randox Laboratories Polska Sp. z o.o. Tel: +48 22 862 1080



REPUBLIC OF IRELAND Randox Teoranta Tel: +353 7495 22600



SOUTH KOREA Randox Korea Tel: +82 (0) 31 478 3121



UAE Randox Medical Equipments Trading LLC Tel: +971 55 474 9075

BRAZIL Randox Brasil Ltda. Tel: +55 11 5181 2024



0

FRANCE Laboratoires Randox Tel: +33 (0) 130 18 96 80



ITALY Randox Laboratories Ltd. Tel: +39 34 0080 9323



PORTUGAL Irlandox Laboratorios Quimica Analitica Ltda Tel: +351 22 589 8320



SLOVAKIA Randox S.R.O. Tel: +421 2 6381 3324



SPAIN Laboratorios Randox S.L. Tel: +34 93 475 09 64



USA Randox Laboratories-US, Ltd. Tel: +1 304 728 2890



CHINA Randox Laboratories Ltd. Tel: +86 021 6288 6240



GERMANY Randox Laboratories GmbH Tel: +49 (0) 215 1937 0611



INDIA Randox Laboratories India Pvt Ltd. Tel: +91 80 6751 5000



PUERTO RICO Clinical Diagnostics of Puerto Rico, LLC Tel: +1 787 701 7000



SOUTH AFRICA Randox Laboratories SA (Pty) Ltd. Tel: +27 (0) 11 312 3590



SWITZERLAND Randox Laboratories Ltd. (Switzerland) Tel: +41 41 810 48 89



VIETNAM Randox Laboratories Ltd. Vietnam Tel: +84 (0) 8 3911 0904

For technical support contact:

technical.services@randox.com



LT244 OCT24





